


Rebalancing the Conversation Human & Environmental Credentials of Meat Production



John Gilliland

Director of Global Agriculture & Sustainability
Project Leader, The Devenish Lands at Dowth

BORD BIA
IRISH FOOD BOARD

 European
Investment
Bank

DEVENISH™
Beyond Nutrition

The Oxford Farming Conference, Science Lecture, 2020

“Food Quality & Human Health – The Evidence”

Alice V. Stanton

Professor of Cardiovascular Pharmacology,
Royal College of Surgeons in Ireland

&

Director of Human Health, Devenish Nutrition




RCSI



DEVENISH™
Beyond Nutrition

Food, Human & Environmental Health – its Future

The EAT Lancet Commission Report, Feb 2019



“Transformation to healthy diets by 2050 will require substantial dietary shifts. Global consumption of fruits, vegetables, nuts and legumes will have to double, and consumption of foods such as red meat and sugar will have to be reduced by more than 50%. A diet rich in plant-based foods and with fewer animal source foods confers both improved health and environmental benefits.”

Prof. Walter Willett MD
Harvard T.H. Chan School of Public Health



The Media Reaction....

“EAT-Lancet recommends slashing red meat consumption by 90%”



Is this True... 2016 Global Disease Risk Factors, Lancet 2017


Risk	Summary Exposure Values (%)		Deaths (in 1,000's)	DALYs (in 1,000s)
	Male	Female		
Nutritional Excesses				
Diet High in Calories / High BMI	10	11	4,525	135,381
Diet High in Sodium	40	36	2,310	47,567
Diet High in Trans Fatty Acids	4	5	224	5,111
Diet High in Processed Meats	6	4	140	3,196
Diet High in Red Meat	25	11	32	1,247
Diet High in Sugar Sweetened Beverages	18	13	23	780
Total for Excesses			7,254	193,282
Nutritional Deficiencies				
Diet Low in Whole Grains	59	61	2,499	62,596
Diet Low in Fruit	62	57	2,361	60,982
Diet Low in Nuts & Seeds	81	82	1,879	49,493
Diet Low in Iron		9	20	35,850
Diet Low in Vegetables	42	43	1,519	35,489
Diet Low in Marine Omega-3 PUFAs	77	79	1,539	33,347
Diet Low in Fibre	53	62	888	20,119
Diet Low in Legumes	45	52	672	14,214
Diet Low in Polyunsaturated Fatty Acids (PUFAs)	40	39	404	8,352
Diet Low in Calcium	57	61	160	3,353
Diet Low in Milk	83	84	123	2,582
Total for Deficiencies			12,064	326,377

DALYs, rather than deaths is the bigger issue


Diet, rather than food is the bigger problem

Deficiencies, rather than excesses is the bigger problem

Percentage of children under 5 who are stunted (%), by country




Childhood Stunting Rates & Annual Meat Consumption - an Inverse Relationship




Who eats the most meat?


Meat consumption (kg per person per year)



Animal Source Foods & Impact on Primary School, Test Scores, of Kenyan Schoolchildren



Hulett et al. Brit J Nutrition 2014



Nutritional Quality of Steak *Vis a Vis* Plant-Based Burgers

(4 Ounce = 115g)

	Steak (80% Lean)	Beyond Meat Burger	Impossible Burger
Calories	287	270	220
Fat (g)	23	20	13
Saturated fats (g)	9	6	10
Carbohydrates(g)	0	5	5
Sugars	0	0	<1
Protein (g)	19	20	20
Sodium (mg)	75	380	430
Fibre (g)	0	3	0
Protein source	100% beef	Pea, mung bean, brown rice	Soy protein concentrate (GM), Soy leghemoglobin (GM), Soy protein isolate (GM), Potato protein,
Fat source		Cocoa butter, coconut oil, sunflower oil & canola oil	Coconut oil, Sunflower oil,
Additional Ingredients		Potato starch, Natural flavor, Yeast, Salt & Beet juice extract	8 added vitamins, Natural flavors, salt, Yeast extract, Methylcellulose, Food starch modified, Cultured dextrose & Water

Ultra-Processed Diets Causes Excess Calorie Intake & Weight Gain

*Hall KD et al.
Cell Metabolism 2019; 30: 67–77.*


Ultra-processed Diet



Unprocessed Diet




Diets were presented in random order and matched for provided calories, sugar, fat, fiber, and macronutrients



Population Scale Behavioural change..... is not easy!!

E.g. Smoking in Ireland

Figure 6: Trend in crude smoking prevalence to 2017, relative to 2005



Source: HSE Tracker Survey; 3-month moving average with 95% Confidence Intervals shown as error bars

21% reduction in Irish smokers, over 12 years & cost millions

EAT–Lancet Commission “Reference Diet”

Impacts on Premature Deaths, Disease Burdens if Adopted.....

Risk	Exposure Values (%)		Deaths (in 1,000's)	DALYs (in 1,000s)
	Male	Female		
Nutritional Excesses				
Calories / High BMI	10	11	4,525	135,381
Sodium	40	36	2,310	47,567
Trans Fatty Acids	4	5	224	5,111
Processed Meats	6	4	140	3,196
Red Meat	25	11	32	1,247
Sugar Sweetened Beverages	18	13	23	780
Total for Excesses			7,254	193,282
Nutritional Deficiencies				
Whole Grains	59	61	2,499	62,596
Fruit	62	57	2,361	60,982
Nuts & Seeds	81	82	1,879	49,493
Iron		9	20	35,850
Vegetables	42	43	1,519	35,489
Marine Omega-3 PUFAs	77	79	1,539	33,347
Fibre	53	62	888	20,119
Legumes	45	52	672	14,214
Polyunsaturated Fatty Acids	40	39	404	8,352
Calcium	57	61	160	3,353
Milk	83	84	123	2,582
Total for Deficiencies			12,064	326,377

11 Million premature deaths avoided, mainly due to reduced Sodium, & increased Fruits, Vegetables, Whole Grains & Nuts

A 90% Decrease in Red & Processed Meats intake; will not save many lives or DALYs.

WILL RESULT in greater deficiencies in Iron, Omega-3-PUFAs, Calcium, Vitamins D & B12 and Protein, with disproportionate effects on women & children

Conclusion – Need Sustainable Farming & Food Solutions to deliver the Rest



But we must be Honest as

Food today is not always as Nutritious as it could be...

Diet-related Diseases are Increasing

**Turn Around Fellas,
We Got it All Wrong!!**



Changes in Nutrient Content of Fruit & Veg over fifty years


US study of nutritional data from both 1950 & 1999 for 43 different vegetables & fruits, found statistically significant declines in the amount of:

- Protein ↓ 6%
- Calcium ↓ 16%
- Phosphorus ↓ 16%
- Iron ↓ 15%
- Riboflavin ↓ 38%
- Vitamin C ↓ 20%




Changes in the Nutrient Content of Oily Fish over Ten Years

Levels of EPA+DHA (g/100g) in farmed Scottish




Solutions Already Delivered by Devenish

Naturally enriched Chicken & Eggs, with Algae-Sourced, Omega-3



Microalgae



Animal feed



RCSI

DEVENISH™
Beyond Nutrition

Results of eating Omega-3 PUFA enriched chicken & eggs



1. Clinically & Statistically Significant Increases in Plasma DHA Levels

- * $p < 0.05$
- ** $p < 0.01$
- *** $p < 0.0001$

2. Substantial Shift in the Distribution of the Omega-3-Index in a Healthy Adult Population


3. 70% reduction in individuals with a high risk Omega-3 Index

4. 5 fold increase in those with an Omega-3 index > 6%



As a result... A Proactive delivery of an alternative solution

Nov 2017, American Heart Association Awards Research, Best International Paper



Adding value Pre-farmgate, with Unique Rapid Human Bio-availability

Without the necessity to change Consumer Consumption Behaviour!



One Health.....

Improving Human
& Environmental
Health



Producer



Processor



Retailer



Consumer



from "Soil to Society"


DEVENISH™
Beyond Nutrition

European
Investment
Bank

DEVENISH™
Beyond Nutrition

Delivering Smart Sustainable Livestock Solutions

Success with Poultry over the last five years



Research conducted by Royal College of Surgeons in Ireland, on behalf of Devenish, presented at American Heart Association Scientific Sessions, in California

The world's first naturally enriched omega-3 chicken and eggs fed with OmegaPro, are likely to reduce the risk of heart attack, stroke, dementia and depression.

Follow the discussion on Twitter
[#Omega3Trial](#)



Designing Precision Nutrition to Mitigate Environmental Impacts

DeviGainPG – Displacing Crude Protein with refined Amino Acids

- **5% improvement in growth rate**
- **17kg per pig soya reduction**
- **25% reduction in water intake**
- **38% reduction in slurry volume**

- **49% reduction in ammonia**
- **16% reduction in GHGs***



*SRUC, AgRE Calc, Calculator accredited PAS 2050 to BSI



So what about Ruminant Agriculture? A Pariah... or a Global Asset?



Delivering Soil Improvement


Optimising Biodiversity



The Devenish Lands at Dowth




A UNESCO
World Heritage Site
6,000 Years of Farming Evolution



Measuring Carbon Sequestration

Reducing Over Land Flow



Getting the Basics right, understanding Soils & Nutrient Uptake

Summary of Ireland's grassland sector

Grass Dry Matter Utilisable Yields – Average 5.1t/ha/yr
Top Grassland Yields 16t/ha/yr

Soil Analysis – Only 2% analysed on an annual basis

Soil pH – Optimal 6.0, 64% not achieving optimal

% Soils at optimal fertility – 12%


Teagasc Green Book 2017

Soil pH	Nitrogen Utilisation	Phosphorus Utilisation	Potassium Utilisation	% of Fertiliser Wasted
5.0-5.5	77%	48%	77%	32%
5.5-6.0	85%	52%	100%	21%
6.0-6.5	100%	100%	100%	0%


Creating a baseline at Dowth to restore our Soil Fertility

- Soil pH



Feb. 2014
Average pH 5.5



Feb. 2016
Average pH 5.7




Feb. 2018
Average pH 6.1



5t/ha Lime (spread Uniformly) Sept 2014 2-8t/ha Lime (Variable rate) Sept 2016

The Ultimate Dilemma... Mitigating Greenhouse Gases & the Recognition that farms can Sequester GHGs, as well as Emit them



But - how could this be credibly validated, independently?

At a landscape scale – We created a baseline

1. Soil Carbon Levels and their variations

Dowth Grass Swards and its Soils


Soil A Horizon sampled to 30cm in 88 soil pits

No ploughing for 40 Years
Some land never ploughed
Soil Type – Brown Earth



Average Soil Carbon – 2.1%
Expected Soil Carbon – 4 to 5%

Why the disparity in Soil Carbon Levels?

(L. Graham, Devenish 2017)



2. Measured the “Above Ground” Carbon in Trees & Hedges Using Aerial LiDAR Survey to digitally measure the Trees & Hedges



	Woods	Hedges	Total
Biomass Density (t C/ha)	83	127	86
Total Biomass in Dowth (t C)	3495	385	3880
Sequestration Potential for Dowth (t C/Yr)	50	1.2	51

S. Green, Teagasc, 2014




Estimated Annual Carbon Sequestration at the Lands at Dowth

	Area Ha	Carbon Seq. Soils t of C/ha/ yr	Total soil Seq. t/ yr	Carbon Seq. Trees t of C/ha/ yr	Total tree Seq. t/ yr
Grazing ground	91.91	0.5	46		
Woodland	42	1.6	67.2	1.2	50
Floodplains	10.2				
Hedgerows	7.89	1.6	12.62	0.4	3
Total land area	156.48				
		Total soil seq./ yr	128	Total trees seq./ yr	54
	Total Dowth carbon sequestration t of C/ yr.				181.6
	Total carbon dioxide equivalence, t of CO2 e/ yr				665

Gordon et al 2006, S. Green 2014, L. Graham 2017, D. Hagan 2018

GHG displacement at different Stocking Rates

Suckler Cows & Calves, Grazing System, on 91 ha of Grass at Dowth



Red dashed line represents a Stocking Rate of 2 LU/ha, At which point, Dowth's Sequestration displaces 56% of all GHGs emitted by Cows & Calves

Accelerating Carbon Sequestration




- Improving Soil pH
- Sowing multi species, grazing swards, rich with legumes
- Coppicing & Pollarding Trees & Hedges to drive more Vigorous Growth
- Planting Silvopasture in Grazing Platform (J. McAdam AFBINI)



Land Use Practice	Species	tC/ha/yr
Silvopasture	Poplar (200/ha)	2.8
Pasture	Perennial ryegrass	1.0
Forest Plantation	Sitka spruce (yc 18)	3.8


- Planting 400 trees per ha, on mineral soils, growing grass
- Pollarding of trees to optimise grass growth, biodiversity & sequestration
- Extending Soil Trafficability by 17 weeks, improving grass utilisation & reducing nutrient & soil loss, to water courses




Going beyond Carbon Neutrality with Rumen Methane Reduction?

Findings of the NLMP Research Program

Methane mitigation research priorities




Are we using the right Metrics to deliver Human & Planetary Health? Nutrient Density & Diversity per unit of Climate Impact.....



DEVENISH™
Beyond Nutrition

Improving Water Quality.....



80% of Phosphate enters water course through “Over Land Flow!”
2018 – Digital analysis of LiDAR surveys allowed individual Watersheds to be identified



Landscape Solutions to Capture “Overland Flow” of Dirty Water



Planting “Over Land Flow” Pathways with Woody Riparian Strips to catch Phosphate
Harvesting Wood every three years to mine Phosphate back out of the Riparian Strip
The use of resultant wood as Renewable fuel; while creating a new Habitat

J. Gilliland 2012



N. Ireland Sustainable Land Management Strategy Pilot


Phosphate & Soil Run Off Risk Maps

Outreach Communication,
Soil Sampling & LiDAR Analysis

Individual farm maps of
soil fertility & risk issued

Led by CAFRE
Analysed by AFBI

Finished April 2018



International Credibility Essential

Selected as a Wageningen University Research, International Lighthouse Farm

Access to World Class Researchers,
Masters & PhD Students

Partnership in Research bids


- Heartland
- SRUC PhD, Verification & Acceptance of Carbon Solutions

Selected to present to Dutch
Royal Couple, jointly


International Credibility Essential



A New Vision for Agrifood.....



Drewnowski et al. Energy and nutrient density of foods in relation to their carbon footprint. *Am J Clin Nutr* 2015;101:184–91.



BORD BIA
IRISH FOOD BOARD

Thank you

Any questions?

